



**ANAHEIM FIRE DEPARTMENT
HAZARDOUS MATERIALS SECTION
201 S. Anaheim Blvd., Suite 300
Anaheim, CA 92805**

Phone (714) 765-4040
Fax (714) 765-4608
Specialist Don Niren
Date 12/10/2009
Inspection

Facility Name : ALLIED PACIFIC METAL STAMPING INC
Address : 2951 E LA PALMA AVE ANAHEIM CA 92806 0000

Phone : 714 6308145

Hazardous Materials Business Plan Inspection Report

Chapter 6.95 California Health and Safety Code (HSC) Title 19, California Code of Regulations (CCR)
Chapter 6.11, City of Anaheim Municipal Code (AMC)

Vio	Violation Date	Date Cleared	Violation
-----	----------------	--------------	-----------

Notice to Comply

V 203	12/10/2009	12/14/09	203 Chemical inventory incomplete or needs update
-------	------------	----------	---

Comments : V203 [HSC 25504, 25505(d), CCR 2729.4] Chemical inventory needs to be updated and annually certified. Facility currently stores 55 gallons of Polyal 201 and B-21 Polymer respectively. Sodium Metasilicate shall be deleted from inventory. Vanishing Oil and Cutting Oils may be consolidated onto one chemical inventory form.

Access to conduct today's inspection/re-inspection granted by: John Whittaker

The above indicated violations must be abated by **1/9/2010**. If additional re-inspections are necessary, a \$100.00 administrative fee will be charged for each additional re-inspection. Late submission of documentation is also subject to a \$100.00 administrative fee at 30, 60 and 90 days from the date of inspection. Please call (714) 765-4040 if you have any questions, or visit our website at www.anaheim.net/hms.

Signature *John Whittaker* Print Name WM JOHN WHITTAKER Title PRESIDENT

Entered

DEC 21 2009

Tidemark *[Signature]*